

About us

We are pioneers in providing effortless material handling solutions that meet your expectations. Our top priority is to pay attention to safety and reliability. We focus on end user's requirement and offer a solution which eliminates operator's fatigue.

Our tie-up with multinational companies allows us to provide solutions with advanced technologies. We provide solutions for areas like machine shop, foundry, fettling shop, steel plant, painting shop, plating shop, assembly line, chemical industry, pharma company, warehouse, and many more.

Products & Services

- » Electric Chain Hoist
- » Goliath Crane
- » Electric Wire Rope Hoist
- » Crane Kit
- » X-Y Rail System
- » Industrial Lift

» Jib Crane

» Conveyor

» EOT Crane

- » AMC
- » Underslung Crane



We are official channel partners of Carlstahl Craftsman. Carlstahl Craftsman is joint venture of Carlstahl Germany & Craftsman Automation India. With the objective of using rich experience of Carlstahl in material handling industry & strong manufacturing expertise of Craftsman Automation the joint venture was formed to provide the end user reliable, efficient & ergonomic lifting solutions. Carlstahl Craftsman designed & manufactured systems in India to European standards.

Electric Chain Hoists







Standard Specifications

Lifting Range

Classification

Rating

250 Kg – 3 Ton ISO M5, FEM 2M Hoist – IP55 & Pendent – IP65

Certification

Pendent

Chain Falls

CE

Double Speed

Single Fall, Double Fall

Control Voltage

Supply Voltage

Limit Switch

24 V

3 Phase, 380-415 V, 50 Hz Lifting (upper – lower) & Travel (forward – reverse)

Mounting

Hook, Plate Suspension, Manual Trolley & Power Trolley



• Electric Wire Rope Hoists •







Standard Specifications

Lifting Range

1 Ton – 50 Ton

Classification

ISO M5, FEM 2M

Rating

Hoist - IP54 & Pendent - IP65

Certification

CE

Pendent

Double Speed

Rope Falls

2, 4, 6, & 8 Fall

Control Voltage

24 V With VFD

Mounting

Power Trolley

Supply Voltage

3 Phase, 380-415 V, 50Hz

Limit Switch

Lifting (upper – lower) & Travel (forward – reverse)



Standard Specifications

Lifting Range: 100 Kg - 2 Ton

X – Y Rail System offers handling load effortlessly, safely & effectively on exact location over your working area.



• Jib Crane •

Standard Specifications

Lifting Range: 100 Kg – 5 Ton

Jib Crane is cantilevered supported structure, commonly used for all types of material handling purpose.

Standard Specifications

Lifting Range: 1 Ton - 63 Ton

EOT Cranes are used for heavy material movement. Single Girder EOT Crane are compact & lightweight in design whereas Double Girder EOT Crane are heavy in design & used for very heavy duty applications.



• Underslung Crane •



Standard Specifications

Lifting Range: 1 Ton – 5 Ton

Underslung Cranes are same as EOT cranes. These are used when there is space restriction for EOT cranes.



• Goliath Crane •



Standard Specifications


Lifting Range: 1 Ton - 63 Ton

It is mainly used for outdoor applications where shed structure is not available. It is also considered where shed structure is not capable to bear the load.

Standard Specifications

We can supply the **Crane Kits** as per requirement of customer. Crane kits include accessories like Panels & Wheel Block Set.

• Crane Kit •



• Industrial Lift •



Standard Specifications


Lifting Range: 1 Ton – 5 Ton

Industrial Lift is used for material movement from floor to floor.



• Conveyors •







We are manufacture of all types of conveyors

• AMC •

We offers **Annual Maintenance Contract** for cranes. In this we offer you a health checkup & preventive maintenance of the crane. During **AMC** we suggest you the parts that's need to be replaced because of the wear & tear. So we can avoid the major breakdown of the crane.

• Our Clientele •





























- **(**+91) 937 093 2787
- * www.amaeytech.com
- □ sales@amaeytech.com
- Plot No. 13, Besides Jafrani Weight Bridge, MIDC Shiroli, Kolhapur - 416122, Maharashtra,India.